

無臭性

アスタ[®]-G軟膏 Astha-G (Topical antifungal ointment)



Athlete' s foot, ringworm drug

Class 2 drug

This is an odorless ointment of little stimulatory effect with tolnaftate as the principal ingredient. The ointment inhibits the growth of trichophyton, while at the same time, several antipuritic ingredients alleviate itchiness immediately, exhibiting excellent effects on tinea cruris (jock itch), tinea pedis (athlete' s foot), and tinea corporis.

MADE IN JAPAN

Indications

tinea cruris (jock itch), tinea pedis (athlete' s foot), and tinea corpori

※ This drug is not used for conditions affecting the scrotum, so please consult your doctor, pharmacist, or registered sales clerk.

Dosage and Administration

Apply several times a day to the affected area.

• When blisters appear in the affected area, adequate effect can be obtained even when the ointment is applied over the blisters without forcibly bursting them.

(Precautions related to Dosage and Administration)

- (1) Do not use when the affected part and surrounding area is dirty.
- (2) Keep out of eyes. If by chance the ointment gets in the eyes, rinse immediately with water or tepid water, and receive medical attention from an ophthalmologist without delay.
- (3) When used for children, please use under the guidance and supervision of the guardian.
- (4) For external use only.

Ingredient, content (per 100g), and action

| Ingredient | Content | Action |
|-------------------------------|---------|---|
| Tolnaftate | 2.0g | Potent antibacterial effect on pathogenic bacteria that cause tinea curis, and tinea pedis. Prevents suppuration caused by unwanted bacteria. |
| Zinc oxide | 5.0g | Absorbs secretion to dry the affected area, and promote curing. Alleviates inflammation of the affected area. |
| l-menthol | 2.0g | Alleviates unpleasant itchiness and pain. |
| diphenhydramine hydrochloride | 1.0g | |
| lidocaine | 0.5g | |
| isopropyl methylphenol | 0.3g | Prevents suppuration caused by unwanted bacteria. |
| glycyrrhetic acid | 0.25g | Alleviates inflammation of the affected area. |

Contains liquid paraffin, petroleum jelly, paraffin, stearyl alcohol, glycerine, sorbitan stearate, squalane, stearic acid, polyoxyethylene hardened castor oil, cholesterol, and butylparaben as additives.

Precautions

Thigs to avoid

(if not respected, the present symptoms will exacerbate, and side effects will readily develop)

Do not use the ointment in the following areas:

- (1) Eyes and surrounding the eyes, mucous membrane (such as cavity of mouth, nasal cavity, and vagina), scrotum, and external genitalia, etc.
- (2) Eczema
- (3) Affected areas with moisture, inflammation, cracks, and severe wounds

Thigs to consult

1. Before using the ointment, the following individuals should consult their doctor, pharmacist, or registered sales clerk:

- (1) Individuals receiving medical treatment from a doctor.
- (2) Infants and toddlers
- (3) Individuals who have a history of drug-induced allergic symptoms.
- (4) Individuals in whom the face and/or extensive area are/is affected.
- (5) Individuals with suppuration of the affected area.
- (6) Individuals in whom it is unclear whether the condition is 'eczema' or 'tinea cruris , tinea pedis, and tinea corpori'

(Most instances of symptoms such as itchiness and inflammation of the scrotum arise from other causes such as eczema)

2. After usage, if any of the following symptoms occur, they could be side effects, and thus, discontinue usage of the ointment immediately, and please consult your doctor, pharmacist, or registered sales clerk with this document.

| Site concerned | Symptoms |
|----------------|--|
| Skin | Eruption, redness, itchiness, contact dermatitis, swelling, and irritation |